

ORIGINAL MEMORANDUM



0000027820

20m

TO: Linda Jaress
Executive Consultant III
Utilities Division

FROM: Barb Wells
Information Technology Specialist
Utilities Division

THRU: Del Smith
Engineering Supervisor
Utilities Division

DATE: December 8, 2005

RE: **BALTERRA SEWER CORPORATION (DOCKET NO. SW-20403A-05-0586)**
2ND AMENDED LEGAL DESCRIPTION

I issued a memo on November 21, 2005, using an amended legal description. It has been brought to my attention that the description for the Ruth Fisher Elementary School, which was included in the original application, was inadvertently omitted from the amended application. In order to eliminate confusion, I am attaching the corrected legal description to this memo. This legal description should be used in place of the previously amended description.

Also attached are copies of the maps for your files.

:bsw

Attachments

cc: Docket Control
Mr. Jay Shapiro
Ms. Deb Person (Hand Carried)
File


RECEIVED
2005 DEC 12 P 2:41
AZ CORP COMMISSION
DOCUMENT CONTROL

A 30x30 grid with a 3x3 block of colored squares (blue, white, red) and a 3x3 block of patterned squares (diagonal lines, cross-hatch, and solid blue). The grid is numbered 1 to 36 in red text.

TOWNSHIP 2 North



Water Utility of Greater Tonopah, Inc.
(West Phoenix)



West Phoenix Water Company




**Water Utility of Greater Tonopah, Inc.
Docket No. W-2450-05-430
Application to Transfer from
West Phoenix Water Company (W-2067)**



Balterra Sewer Corporation
Docket No. SW-20403A-05-0586
Application for CC&N

COUNTY: Maricopa

RANGE 7 West



TOWNSHIP 2 North



W-2450 (11)

Water Utility of Greater Tonopah, Inc.
(Roseview?)



(2)

Balterra Sewer Corporation
Docket No. SW-20403A-05-0586
Application for CC&N

PROPERTY DESCRIPTION

BALTERRA

THE DESCRIPTION FOR THAT PORTION OF THE PROPERTY DESCRIBED BELOW, LYING WITHIN SECTION 23, TOWNSHIP 2 NORTH, RANGE 7 WEST, GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA, IS BASED ON AN ALTA/ACSM LAND TITLE SURVEY BY MORRISON MAIERLE, INCORPORATED, DATED SEPTEMBER 22, 2004.

THAT PORTION OF SECTION 19, TOWNSHIP 2 NORTH, RANGE 6 WEST, AND SECTION 24, TOWNSHIP 2 NORTH, RANGE 7 WEST, GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT AN ARIZONA DEPARTMENT OF TRANSPORTATION BRASS CAP AT THE SOUTHEAST CORNER OF SAID SECTION 19;

THENCE NORTH 89°28'08" WEST, ALONG THE SOUTH LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 19, A DISTANCE OF 2,640.04 FEET TO A BRASS CAP AT THE SOUTH QUARTER CORNER OF SAID SECTION 19;

THENCE NORTH 89°28'43" WEST, ALONG THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 1,687.12 FEET TO A HALF INCH REBAR AND YELLOW CAP MARKED "DEA 40622" AT THE SOUTHEAST CORNER OF THAT CERTAIN TRACT OF LAND CONDEMNED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 7553, PAGE 749, RECORDS OF MARICOPA COUNTY, ARIZONA;

THENCE NORTH 00°31'17" EAST, ALONG THE EAST LINE OF THAT CERTAIN TRACT OF LAND CONDEMNED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 7553, PAGE 749, RECORDS OF MARICOPA COUNTY, ARIZONA, A DISTANCE OF 65.22 FEET TO AN ARIZONA DEPARTMENT OF TRANSPORTATION BRASS CAP;

THENCE NORTH 85°42'56" WEST, ALONG THE NORTH LINE OF THAT CERTAIN TRACT OF LAND CONDEMNED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 7553, PAGE 749, RECORDS OF MARICOPA COUNTY, ARIZONA, A DISTANCE OF 629.08 FEET TO AN ARIZONA DEPARTMENT OF TRANSPORTATION BRASS CAP;

THENCE NORTH 74°33'19" WEST, ALONG THE NORTH LINE OF THAT CERTAIN TRACT OF LAND CONDEMNED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 7553, PAGE 749, RECORDS OF MARICOPA COUNTY, ARIZONA, A DISTANCE OF 308.20 FEET TO A HALF INCH REBAR AND YELLOW CAP MARKED "DEA 40622" AT A POINT ON THE WEST LINE OF SAID SECTION 19, ALSO BEING THE NORTHEAST CORNER OF THAT CERTAIN TRACT OF LAND DEEDED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 6412, PAGE 55, RECORDS OF MARICOPA COUNTY, ARIZONA;

THENCE NORTH 74°32'33" WEST, ALONG THE NORTH LINE OF THAT CERTAIN TRACT OF LAND DEEDED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 6412, PAGE 55, RECORDS OF MARICOPA COUNTY, ARIZONA, A DISTANCE OF 1,142.11 FEET TO AN ARIZONA DEPARTMENT OF TRANSPORTATION BRASS CAP;

THENCE NORTH 74°32'55" WEST, ALONG THE NORTH LINE OF THAT CERTAIN TRACT OF LAND DEEDED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 6412, PAGE 55, RECORDS OF MARICOPA COUNTY, ARIZONA, A DISTANCE OF 1,300.16 FEET TO AN ARIZONA DEPARTMENT OF TRANSPORTATION BRASS CAP;

THENCE NORTH 74°32'56" WEST, ALONG THE NORTH LINE OF THAT CERTAIN TRACT OF LAND DEEDED FOR HIGHWAY AS RECORDED UNDER DOCKET NO. 6412, PAGE 55, RECORDS OF MARICOPA COUNTY, ARIZONA, A DISTANCE OF 294.08 FEET TO A ONE HALF INCH REBAR ON THE WEST LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 24;

THENCE NORTH 00°32'56" EAST, ALONG THE WEST LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 24, A DISTANCE OF 1751.55 FEET TO A ONE INCH REBAR AT THE CENTER OF SAID SECTION 24;

THENCE NORTH 89°27'44" WEST, ALONG THE SOUTH LINE OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 1321.24 FEET TO A FIVE EIGHTHS INCH REBAR AT THE SOUTHWEST CORNER OF THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24;

THENCE NORTH 00°33'08" EAST, ALONG THE WEST LINE OF THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 132.00 FEET TO A HALF INCH REBAR ON THE NORTH LINE OF THE SOUTH 132.00 FEET OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24;

THENCE NORTH 89°27'44" WEST, ALONG THE NORTH LINE OF THE SOUTH 132.00 FEET OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 660.61 FEET TO A HALF INCH REBAR MARKED "DON MILLER, LS 15335" AT THE WEST LINE OF THE EAST HALF OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24;

THENCE NORTH 00°33'16" EAST, ALONG THE WEST LINE OF THE EAST HALF OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 528.12 FEET TO A HALF INCH REBAR MARKED "DON MILLER, LS 15335" AT THE SOUTHEAST CORNER OF THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24;

THENCE NORTH 89°27'40" WEST, ALONG THE SOUTH LINE OF THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 660.59 FEET TO A HALF INCH REBAR AND YELLOW CAP MARKED "DEA 40622" AT THE SOUTHWEST CORNER OF THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24;

THENCE NORTH 00°33'24" EAST, ALONG THE WEST LINE OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 660.13 FEET TO A HALF INCH REBAR AT THE NORTHWEST CORNER OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24;

THENCE SOUTH 89°27'36" EAST, ALONG THE NORTH LINE OF THE SOUTH HALF OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 2642.28 FEET TO A FIVE EIGHTHS INCH REBAR AT THE SOUTHEAST CORNER OF THE NORTHEAST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24;

THENCE NORTH 00°32'53" EAST, ALONG THE EAST LINE OF THE NORTHEAST QUARTER OF THE NORTHWEST QUARTER OF SAID SECTION 24, A DISTANCE OF 1320.15 FEET TO A HALF INCH REBAR AT THE NORTH QUARTER CORNER OF SAID SECTION 24;

THENCE SOUTH 89°31'19" EAST, ALONG THE NORTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 24, A DISTANCE OF 2645.96 FEET TO A GLO BRASS CAP AT THE NORTHEAST CORNER OF SAID SECTION 24;

THENCE SOUTH 00°33'36" WEST, ALONG THE EAST LINE OF THE NORTHEAST QUARTER OF SAID SECTION 24, A DISTANCE OF 1320.00 FEET TO A HALF INCH REBAR AT THE SOUTH LINE OF THE NORTH 1320.00 FEET OF THE NORTHWEST QUARTER OF SAID SECTION 19;

THENCE SOUTH 89°29'19" EAST, ALONG THE SOUTH LINE OF THE NORTH 1320.00 FEET OF THE NORTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 1320.00 FEET TO A HALF INCH REBAR AT THE SOUTHEAST CORNER OF THE WEST 1320.00 FEET OF THE NORTH 1320.00 FEET OF THE NORTHWEST QUARTER OF SAID SECTION 19;

THENCE NORTH 00°33'36" EAST, ALONG THE EAST LINE OF THE WEST 1320.00 FEET OF THE NORTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 1320.00 FEET TO A HALF INCH REBAR ON THE NORTH LINE OF THE NORTHWEST QUARTER OF SAID SECTION 19, ALSO BEING THE NORTHEAST CORNER OF THE WEST 1320.00 FEET OF THE NORTH 1320.00 FEET OF THE NORTHWEST QUARTER OF SAID SECTION 19;

THENCE SOUTH 89°29'19" EAST, ALONG THE NORTH LINE OF THE OF THE NORTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 1286.27 FEET TO A GLO BRASS CAP AT THE NORTH QUARTER CORNER OF SAID SECTION 19;

THENCE SOUTH 89°29'54" EAST, ALONG THE NORTH LINE OF THE OF THE NORTHEAST QUARTER OF SAID SECTION 19, A DISTANCE OF 2643.72 FEET TO A REBAR WITH ALUMINUM CAP MARKED "LS 36563, 2004" AT THE NORTHEAST CORNER OF SAID SECTION 19;

THENCE SOUTH 00°32'10" WEST, ALONG THE EAST LINE OF THE OF THE NORTHEAST QUARTER OF SAID SECTION 19, A DISTANCE OF 2643.21 FEET TO A REBAR WITH ALUMINUM CAP MARKED "LS 36563, 2004" AT THE EAST QUARTER CORNER OF SAID SECTION 19;

THENCE SOUTH 00°32'12" WEST, ALONG THE EAST LINE OF THE OF THE SOUTHEAST QUARTER OF SAID SECTION 19, A DISTANCE OF 2643.45 FEET TO AN ARIZONA DEPARTMENT OF TRANSPORTATION BRASS CAP AT THE SOUTHEAST CORNER OF SAID SECTION 19 AND THE POINT OF BEGINNING;

TOGETHER WITH THE NORTHEAST QUARTER OF SECTION 23, TOWNSHIP 2 NORTH, RANGE 7 WEST, GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA,

BEING ALSO DESCRIBED AS FOLLOWS:

BEGINNING AT A HALF-INCH REBAR AT THE NORTHEAST CORNER OF SECTION 23, TOWNSHIP 2 NORTH, RANGE 7 WEST, GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA;

THENCE SOUTH 00°33'24" WEST, ALONG THE EAST LINE OF THE NORTHEAST QUARTER OF SAID SECTION 23, A DISTANCE OF 2640.55 FEET TO A GLO BRASS CAP AT THE EAST QUARTER CORNER OF SAID SECTION 23;

THENCE NORTH 89°26'32" WEST, ALONG THE SOUTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 23, A DISTANCE OF 2636.57 FEET TO A HALF INCH REBAR WITH TAG MARKED "L.S. 12218" AT THE CENTER OF SAID SECTION 23;

THENCE NORTH 00°35'09" EAST, ALONG THE WEST LINE OF THE NORTHEAST QUARTER OF SAID SECTION 23, A DISTANCE OF 2641.17 FEET TO A GLO BRASS CAP AT THE NORTH QUARTER CORNER OF SAID SECTION 23;

THENCE SOUTH 89°25'44" EAST, ALONG THE NORTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 23, A DISTANCE OF 2635.23 FEET TO A GLO BRASS CAP AT THE NORTHEAST CORNER OF SAID SECTION 23 AND THE POINT OF BEGINNING.

EXCEPT THAT PORTION OF THE SOUTHWEST QUARTER OF SAID SECTION 19 DESCRIBED AS FOLLOWS:

COMMENCING AT A BRASS CAP FOUND AT THE SOUTH QUARTER CORNER OF SAID SECTION 19, FROM WHICH AN ARIZONA DEPARTMENT OF TRANSPORTATION BRASS CAP AT THE SOUTHEAST CORNER OF SAID SECTION 19 BEARS SOUTH 89°28'08" EAST, A DISTANCE OF 2640.04 FEET; THENCE NORTH 89°28'43" WEST, ALONG THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 1482.82 FEET; THENCE NORTH 00°31'17" EAST, A DISTANCE OF 40.00 FEET TO A HALF IN REBAR AT A POINT ON A LINE LYING 40.00 FEET NORTH OF AND PARALLEL TO THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19 AND THE TRUE POINT OF BEGINNING;

THENCE CONTINUING NORTH 00°31'17" EAST, A DISTANCE OF 200.00 FEET TO A HALF IN REBAR AT A POINT ON A LINE LYING 240.00 FEET NORTH OF AND PARALLEL TO THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19;

THENCE SOUTH 89°28'43" EAST, ALONG SAID LINE LYING 240.00 FEET NORTH OF AND PARALLEL TO THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 200.00 FEET TO A HALF IN REBAR;


THENCE SOUTH 00°31'17" WEST, A DISTANCE OF 200.00 FEET TO A HALF IN REBAR AT A POINT ON SAID LINE LYING 40.00 FEET NORTH OF AND PARALLEL TO THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19;

THENCE NORTH 89°28'43" WEST, ALONG SAID LINE LYING 40.00 FEET NORTH OF AND PARALLEL TO THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 200.00 FEET TO A HALF IN REBAR AT THE POINT OF BEGINNING;

SITUATE IN THE COUNTY OF MARICOPA, STATE OF ARIZONA.

CONTAINS 1,110.083 ACRES MORE OR LESS. (GROSS)

CONTAINS 1,082.750 ACRES MORE OR LESS. (NET)



ORDER NUMBER: 9F04866T-US

EXHIBIT 'A'

89 245589

A PORTION OF THE NORTHEAST QUARTER OF SECTION 28, TOWNSHIP 2 NORTH, RANGE 6 WEST, GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTH QUARTER CORNER OF SAID SECTION 28;

THENCE SOUTH 00 DEGREES 01 MINUTES 42 SECONDS EAST, 65.00 FEET, ALONG THE WEST LINE OF SAID NORTHEAST QUARTER, TO A POINT ON THE SOUTH LINE OF THE ROAD DECLARED AT DOCKET 3124, PAGE 573-575, MARICOPA COUNTY RECORDS, SAID POINT BEING THE POINT OF BEGINNING;

THENCE NORTH 89 DEGREES 52 MINUTES 28 SECONDS EAST, 1321.30 FEET, ALONG SAID SOUTH LINE, SAID LINE BEING 65.00 FEET SOUTH OF AND PARALLEL WITH THE NORTH LINE OF SAID NORTHEAST QUARTER TO A POINT ON THE EAST LINE OF THE NORTHWEST QUARTER OF SAID NORTHEAST QUARTER;

THENCE SOUTH 00 DEGREES 01 MINUTES 51 SECONDS EAST, 1257.08 FEET, ALONG SAID EAST LINE, TO THE SOUTHEAST CORNER OF SAID NORTHWEST QUARTER OF THE NORTHEAST QUARTER;

THENCE SOUTH 89 DEGREES 55 MINUTES 17 SECONDS WEST, 1321.35 FEET, ALONG THE SOUTH LINE OF SAID NORTHWEST QUARTER OF THE NORTHEAST QUARTER, TO THE SOUTHWEST CORNER OF SAID NORTHWEST QUARTER OF THE NORTHEAST QUARTER;

THENCE NORTH 00 DEGREES 01 MINUTES 42 SECONDS WEST, 1256.00 FEET, ALONG THE WEST LINE OF SAID NORTHEAST QUARTER TO THE POINT OF BEGINNING.